ELSEVIER

Electroencephalography and clinical Neurophysiology 102 (1997) 533–536

Table of Contents

VOLUME 102 (1997)

MAIN ARTICLES

Unusual variants of subclinical rhythmic electrographic discharge of adults (SREDA)
B.F. Westmoreland, D.W. Klass (USA) 1

Effect of spatial ability and sex on inter- and intrahemispheric correlation of EEG activity
M. Corsi-Cabrera, C. Arce, J. Ramos. M.A. Guevara (Mexico) 5

When do sphenoidal electrodes yield additional data to that obtained with antero-temporal electrodes?
A.M. Kanner, J.C. Jones (USA) 12

Relationship of interictal epileptiform discharges to sleep depth in partial epilepsy
B.A. Malow, R. Kushwaha, X. Lin, K.J. Morton, M.S. Aldrich (USA) 20

Perioperative electroencephalographic seizures in infants undergoing repair of complex congenital cardiac defects
S.L. Helmers, D. Wypij, J.E. Constantinou, J.W. Newburger, P.R. Hickey, E.J. Carrazana, J.K. Barlow, K.C.K.K. Kuban, G.L. Holmes (USA) 27

The silent period between sounds has a stronger effect than the interstimulus interval on auditory evoked magnetic fields
T. Imada, M. Watanabe, T. Mashiko, M. Kawakatsu, M. Kotani (Japan) 37

Speech-evoked brainstem frequency-following responses during verbal transformations due to word repetition
G.C. Galbraith, S.P. Jhaveri, J. Kuo (USA) 46

Effects of spinal cord ischemia on the refractory period of descending spinal cord evoked potential
M. Ishikawa, N. Yamaguchi, H. Bertalanffy, T. Ohira, M. Takase, T. Kawase, S. Toya (Japan) 54

High resolution EEG: a new model-dependent spatial deblurring method using a realistically-shaped MR-constructed subject's head model
F. Babiloni, C. Babiloni, F. Carducci, L. Fattorini, C. Anello, P. Onorati, A. Urbano (Italy) 69

Evaluation of MRI-MEG/EEG co-registration strategies using Monte Carlo simulation
K.D. Singh, I.E. Holliday, P.L. Furlong, G.F.A. Harding (UK) 81

Language processing in aphasia: changes in lateralization patterns during recovery reflect cerebral plasticity in adults
C. Thomas, E. Altenmüller, G. Marckmann, J. Kahrs, J. Dichgans (Germany) 86

Non-linearity in invasive EEG recordings from patients with temporal lobe epilepsy
M.C. Casdagli, L.D. Iasemidis, R.S. Savit, R.L. Gilmore, S.N. Roper, J.C. Sackellares (USA) 98

Steady-state movement-related cortical potentials: a new approach to assessing cortical activity associated with fast repetitive finger movements
C. Gerloff, C. Toro, N. Uenishi, L.G. Cohen, L. Leocani, M. Hallett (USA) 106

Lateralised cortical activity due to preparation of saccades and finger movements: a comparative study
B. Wauschkuhn, E. Wascher, R. Verleger (Germany) 114

Changes in cerebral blood flow velocity in healthy young men during overnight sleep and while awake
T. Kuboyama, A. Hori, T. Sato, T. Mikami, T. Yamaki, S. Ueda (Japan) 125

The detection of drowsiness and sleep onset periods from ambulatory recorded polygraphic data
K. Hirvonen, J. Hasan, V. Häkkinen, A. Värri, P. Loula (Finland) 132

Periodic fever associated with intermittent rhythmic delta activity: a syndrome of hypothalamic origin?
J.J. van Hilten, F. Roelfsema, J.W.M. van der Meer, J.G. van Dijk (The Netherlands) 138

Dissociation between contingent negative variation (CNV) and Bereitschaftspotential (BP) in patients with parkinsonism
A. Ikeda, H. Shibasaki, R. Kaji, K. Terada, T. Nagamine, M. Honda, J. Kimura (Japan) 142

Does a sedative dose of chloral hydrate modify the EEG of children with epilepsy?
M. Thoresen, O. Henriksen, E. Wannag, L. Lægreid (Norway) 152

Dipole localization in patients with epilepsy using the realistically shaped head model
B.J. Roth, D. Ko, I.R. von Albertini-Carletti, D. Scaffidi, S. Sato (USA) 159

Ictal patterns in temporal lobe epilepsy recorded by epidural screw electrodes
I. Drury, L. Schuh, D. Ross, P. Pennell, N. Varma, T. Henry (USA) 167

Atypical triphasic waves associated with the use of pentobarbital
M.E. Lancman, S. Marks, K. Mahmood, T. Lansen (USA) 175
Prognostic value of neonatal electroencephalography in premature newborns less than 33 weeks of gestational age
S. Marret, D. Parain, J.-F. Ménard, T. Blanc, A.-M. Devaux, P. Ensel, C. Fessard, D. Samson-Dollfus (France) 178
Polysomnographic quantification of bioelectrical maturation in preterm and fullterm newborns at matched conceptional ages
M.L. Nunes, J.C. Da Costa, M.V.L. Moura-Ribeiro (Brazil) 186
Differential localization of brain systems subserving memory for names and faces in normal subjects with event-related potentials
W. Sommer, E. Komoss, S.R. Schweinberger (Germany) 192
Visual object priming differs from visual word priming: an ERP study
X.L. Zhang, H. Begleiter, B. Porjesz, A. Litke (China, USA) 200
Topographic analysis of coherence and propagation of EEG activity during sleep and wakefulness
M. Kamiński, K. Blinowska, W. Szelenberger (Poland) 216
The Utah Intracortical Electrode Array: a recording structure for potential brain-computer interfaces
E.M. Maynard, C.T. Nordhausen, R.A. Normann (USA) 228
Testing topographic differences between event related brain potentials by using non-parametric combinations of permutation tests
L. Galán, R. Biscay, J.L. Rodríguez, M.C. Pérez-Abalo, R. Rodríguez (Cuba) 240
Stability of EEG inter-and intrahemispheric correlation in women
M. Corsi-Cabrera, S. Solís-Ortiz, M.A. Guevara (Mexico) 248
Changes of presaccadic cortical activity when performing horizontal, visually guided saccades
I. Evdokimidis, T.S. Constantinidis, P. Gourtzelidis, D. Liakopoulos, C. Papageorgiou (Greece) 256
Inverse localization of electric dipole current sources in finite element models of the human head
H. Buchner, G. Knoll, M. Fuchs, A. Rienäcker, R. Beckmann, M. Wagner, J. Silny, J. Pesch (Germany) 267
Evolution of cerebral edema and its relationship with power in the theta band
A. Fernández-Bouzas, T. Harmony, E. Marosi, T. Fernández, J. Silva, M. Rodríguez, J. Bernal, A. Reyes, G. Casián (Mexico) 279
Intra-hemispheric alpha coherence decreases with increasing cognitive impairment in HIV patients
D.J. Fletcher, J. Raz, G. Fein (USA) 286
Periodic lateralized epileptiform discharges (PLEDs) following stroke are associated with metabolic abnormalities
M.Y. Neufeld, S. Vishnevskaya, T.A. Treves, I. Reider, V. Karepov, N.M. Bornstein, A.D. Korczyn (Israel) 295
Angelman's syndrome: clinical and electroencephalographic findings
D.I. Rubin, M.C. Patterson, B.F. Westmoreland, D.W. Klass (USA) 299
Olfactory event-related potentials to amyl acetate in congenital anosmia
L. Cui, W.J. Evans (USA) 303
Cardiac field effects on the EEG
G. Dirlich, L. Vogl, M. Plaschke, F. Strian (Germany) 307
On the existence of different types of central beta rhythms below 30 Hz
G. Pfurtscheller, A. Stancák Jr., G. Edlinger (Austria) 316
The resolution-field concept
B. Lütkenhöner, R. Grave de Peralta Menendez (Germany) 326
3D Localization of surface 10-20 EEG electrodes on high resolution anatomical MR images
S.-S. Yoo, C.R.G. Guttmann, J.R. Ives, L.P. Panych, R. Kikinis, D.L. Schomer, F.A. Jolesz (USA) 335
Effects of nitrous oxide on electrocorticography during epilepsy surgery
S. Hosain, L. Nagarajan, R. Fraser, A. Van Poznak, D. Labar (USA) 340
Estimating cortical activity from VEPS with the shrinking ellipsoid inverse
R. Srebro, R.M. Oguz (USA) 343
Cortical potentials preceding pro- and antisaccades in man
S. Everling, P. Krappmann, H. Flohr (Germany) 356
Precursors of the evoked K-complex in event-related brain potentials in stage 2 sleep
M. Sallinen, J. Kaartinen, H. Lyytinen (Finland) 363
Event-related desynchronization (ERD) in the alpha frequency during development of implicit and explicit learning
P. Zhuang, C. Toro, J. Grafman, P. Manganotti, L. Leocani, M. Hallett (USA) 374
Objective measurement of sleepiness in summer vacation long-distance drivers
P. Philip, I. Ghorayeb, D. Leger, J.C. Menny, B. Bioulac, P. Dabadie, C. Guilleminault (France, USA) 383
Heart rate variability: sleep stage, time of night, and arousal influences
M.H. Bonnet, D.L. Arand (USA) 390
Sleep latency measures of caffeine effects during sleep deprivation
T.L. Kelly, M.M. Mitler, M.H. Bonnet (USA) 397
Caffeine effects on perceptual and motor processes
M.M. Lorist, J. Snel (The Netherlands) 401

Extracranial localization of intracranial interictal epileptiform activity using LORETA (low resolution electromagnetic tomography)
G. Lantz, C.M. Michel, R.D. Pascual-Marqui, L. Spinelli, M. Seeck, S. Seri, T. Landis, I. Rosen (Sweden, Switzerland, Italy) 414
Possibilities and limitations of magnetic source imaging of methohexital-induced epileptiform patterns in temporal lobe epilepsy patients
A. Brockhaus, K. Lehnertz, C. Wienbruch, A. Kowalik, W. Burr, T. Elbert, M. Hoke, C.E. Elger (Germany) 423
Epileptiform and non-epileptiform paroxysmal activity from isolated cortex after functional hemispherectomy
R.A. Wennberg, L.F. Quesney, J.-G. Villemure (Canada) 437
Induction of burst-suppression and activation of epileptiform activity after methohexital and selective amygdalohippocampectomy
R. Wennberg, F. Quesney, A. Olivier, F. Dubeau (Canada) 443
A systematic evaluation of the spherical model accuracy in EEG dipole localization
B. Yvert, O. Bertrand, M. Thévenet, J.F. Echallier, J. Pernier (France) 452
Electrocortical and behavioral responses produced by acute electrical stimulation of the human centromedian thalamic nucleus
M. Velasco, F. Velasco, A.L. Velasco, F. Brito, F. Jiménez, I. Marquez, B. Rojas (Mexico) 461
A method to quantify invariant information in depth-recorded epileptic seizures
F. Wendling, J.M. Badier, P. Chauvel, J.L. Coatrieux (France) 472
Mesial temporal versus lateral temporal interictal epileptiform activity: comparison of chronic and acute intracranial recordings
R. Wennberg, F. Quesney, A. Olivier, F. Dubeau (Canada) 486
The effects of external load on movement-related changes of the sensorimotor EEG rhythms
A. Stančák Jr., A. Riml, G. Pfurtscheller (Austria) 495

SHORT COMMUNICATIONS
Motor cortical reflex myoclonus: a case study with MEG
Y. Terao, Y. Ugawa, R. Hanajima, M. Yumoto, Y. Kawahara, T. Yamamoto, I. Shirouzu, I. Kanazawa (Japan) 505
Poverty, cultural disadvantage and brain development: a study of pre-school children in Mexico
G.A. Otero (Mexico) 512

TECHNICAL NOTE
Implications of electrolyte dispersion for high resolution EEG methods
E. Pellouchoud, H. Leong, A. Gevins (USA) 261

LETTER TO THE EDITOR
High-frequency cortical responses: do they not exist if they are small?
W. Lutzenberger, H. Preissl, N. Birbaumer, F. Pulvermüller (Germany, Italy) 64

ACKNOWLEDGEMENT TO REVIEWERS 67

BOOK REVIEWS
Clinical neuroradiology: a textbook
edited by E. Lohr, K.W. Sievers, H.Ch. Diener, J. Faiss and D. Stolke 264
Neurological Differential Diagnosis, 2nd edn.
by J. Patten 264
Continuous spikes and waves during slow sleep: electrical status epilepticus during slow sleep
edited by A. Beaumanoir, M. Bureau, T. Deonna, L. Miram and C.A. Tassinari 265
Drug-induced neurological disorders
by K.K. Jain 265
Vision and Clinical EEG
edited by T. Takahashi and Y. Kuroiwa 517
Clinical Electromyography, 2nd edn.
edited by W.F. Brown and C.F. Bolton 517
Neurological Aspects of Substance Abuse
by J.C.M. Brust 518

Elements of Molecular Neurobiology, 2nd edn.
by C.U.M. Smith 518
COGNITION on Cognition
edited by J. Mehler and S. Franck 519
Metacognition: Knowing About Knowing
edited by J. Metcalfe and A.P. Shimamura 519

Society Proceedings 1P, 28P, 34P, 39P, 59P, 64P, 67P

Index of Authors to Volume 102 (1997) 520

Index of Subjects to Volume 102 (1997) 525

Table of Contents to Volume 102 (1997) 533